

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
-----------------------	------------------------	----------------------	----------------	---------------------	----------	---------------------------

## ARB

ARB 35L	DS40	DS45SIDE	SL40	SL40SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	530L X 380W X 428H
FRIDGE BARRIER	FBDS40N	FBDS45SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	710 x 390	460 x 730	730 x 420	415 x 660		

ARB 47L	DS40	DS45SIDE	SL40	SL40SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	530L X 380W X 508H
FRIDGE BARRIER	FBDS40N	FBDS45SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	710 x 390	460 x 730	730 x 420	415 x 660		

ARB 60L	DS50	DS50SIDE	SL50	SL50SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	770L X 450W X 428H
FRIDGE BARRIER	FBDS50N	FBDS50SIDEN	FBSL50N	FBSL50SIDEN		
TRAY DIMENSIONS	810 x 480	465 x 830	815 x 465	470 x 805		

ARB 78L	DS50	DS50SIDE	SL50	SL50SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	770L X 450W X 508H
FRIDGE BARRIER	FBDS50N	FBDS50SIDEN	FBSL50N	FBSL50SIDEN		
TRAY DIMENSIONS	810 x 480	465 x 830	815 x 465	470 x 805		

ARB ELEMENTS S/S 60L	DS60	DS60SIDE	SL60	SL60SIDE	HANDLES NOT REMOVABLE, USE ARB TIE DOWN KIT	820L X 490W X 440H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN	PLEASE NOTE THERE ARE NO FEET MOUNTING HOLES AVAILABLE IN TRAYS AT THIS TIME	
TRAY DIMENSIONS	865 X 535	515 x 850	860 x 530	520 x 840		

ARB ZERO 44L SINGLE ZONE	DS45	DS45SIDE	SL45	SL45SIDE	REQUIRES ARB ZERO TIE DOWN KIT	675L X 423W X 496H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL45N	FBSL45SIDEN	PLEASE NOTE THERE ARE NO FEET MOUNTING HOLES AVAILABLE IN TRAYS AT THIS TIME	
TRAY DIMENSIONS	690 X 480	460 X 730	700 x 470	463 X 720		

ARB ZERO 60L SINGLE ZONE	DS50	DS50SIDE	SL50	SL50SIDE	REQUIRES ARB ZERO TIE DOWN KIT	755L X 469W X 496H
FRIDGE BARRIER	FBDS50N	FBDS50SIDEN	FBSL50N	FBSL50SIDEN	PLEASE NOTE THERE ARE NO FEET MOUNTING HOLES AVAILABLE IN TRAYS AT THIS TIME	
TRAY DIMENSIONS	810 X 480	465 X 830	815 X 465	470 X 805		

ARB ZERO 69L DUAL ZONE	DS50	DS50SIDE	SL50	SL50SIDE	REQUIRES ARB ZERO TIE DOWN KIT FRIDGE BARRIER WILL NEED SPACING UP OR REMOVE RUBBER FEET FROM FRIDGE TO FIT	755L X 469W X 564H
FRIDGE BARRIER	FBDS50N	FBDS50SIDEN	FBSL50N	FBSL50SIDEN	PLEASE NOTE THERE ARE NO FEET MOUNTING HOLES AVAILABLE IN TRAYS AT THIS TIME	
TRAY DIMENSIONS	810 X 480	465 X 830	815 X 465	470 X 805		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
ARB ZERO 96 DUAL ZONE	DS95	N/A	SL95	SL95SIDE	REQUIRES ARB ZERO TIE DOWN KIT	935L X 548W X 509H
FRIDGE BARRIER	FBDS95N	N/A	FBSL95N	FBSL95SIDEN	PLEASE NOTE THERE ARE NO FEET MOUNTING HOLES AVAILABLE IN TRAYS AT THIS TIME	
TRAY DIMENSIONS	955 X 555	N/A	950 X 555	940 X 555		

## BUSHMAN

BUSHMAN 35L	DS45	DS45SIDE	SL45	SL45SIDE		660L X 385W X 380H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL45N	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	700 x 470	463 X 720		

BUSHMAN 42L	DS45	DS45SIDE	SL45	SL45SIDE		660L X 385W X 470H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL45N	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	700 x 470	463 X 720		

BUSHMAN 45L	DS45	DS45SIDE	SL45	SL45SIDE		660L X 385W X 458H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL45N	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	700 x 470	463 X 720		

BUSHMAN 52L	DS45	DS45SIDE	SL45	SL45SIDE		660L X 385W X 548H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL45N	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	700 x 470	463 X 720		

## COMPANION

COMPANION XERO 60	DS60	DS60SIDE	SL60	SL60SIDE		690L X 490W X 560H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		

COMPANION XERO 75	DS95	N/A	SL95	SL95SIDE		865L X 535W X 520H
FRIDGE BARRIER	FBDS95N	N/A	FBSL95N	FBSL95SIDEN		
TRAY DIMENSIONS	955 X 555	N/A	950 X 555	940 X 555		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
-----------------------	------------------------	----------------------	----------------	---------------------	----------	---------------------------

## ENGEL

ENGEL 32L	DS40	DS40SIDE	SL40	SL40SIDE	(DS40 & SL40) HANDLES CAN BE USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS40SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED	635L X 360W X 408H
FRIDGE BARRIER	FBDS40N	FBDS40SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	710 x 390	460 X 680	730 X 420	415 X 660		

ENGEL ECLIPSE 38L	DS40	DS40SIDE	SL40	SL40SIDE	(DS40 & SL40) HANDLES CAN BE USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS40SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED (SL40SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED IF USING FBSL40SIDE	635L X 360W X 508H
FRIDGE BARRIER	FBDS40N	FBDS40SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	710 x 390	460 X 680	730 X 420	415 X 660		

ENGEL 40L	DS40	DS40SIDE	SL40	SL40SIDE	(DS40 & SL40) HANDLES CAN BE USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS40SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED	635L X 360W X 508H
FRIDGE BARRIER	FBDS40N	FBDS40SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	710 x 390	460 X 680	730 X 420	415 X 660		

ENGEL 40L ANNIVERSARY	DS40	DS40SIDE	SL40	SL40SIDE	(DS40 & SL40) HANDLES CAN BE USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS40SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED	635L X 360W X 508H
FRIDGE BARRIER	FBDS40N	FBDS40SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	710 x 390	460 X 680	730 X 420	415 X 660		

ENGEL 57L AND 60L	DS60	DS60SIDE	SL60	SL60SIDE	(DS60 & SL60) HANDLES CAN BE USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS60SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED	790L X 490W X 441H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		

ENGEL 75L AND 80L	DS60	DS60SIDE	SL60	SL60SIDE	(DS60 & SL60) HANDLES CAN BE USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS60SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED	790L X 490W X 561H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		

## EVAKOOL

EVAKOOL RF40 (WHITE)	DS50	DS50SIDE	SL50	SL45SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	725L X 445W X 415H
FRIDGE BARRIER	FBDS50N	FBDS50SIDEN	FBSL50N	FBSL45SIDEN		
TRAY DIMENSIONS	810 X 480	465 X 830	815 X 465	463 X 720		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
<b>EVAKOOL RF47 (WHITE)</b>	DS50	DS50SIDE	SL50	SL45SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	725L X 445W X 430H
FRIDGE BARRIER	FBDS50N	FBDS50SIDEN	FBSL50N	FBSL45SIDEN		
TRAY DIMENSIONS	810 X 480	465 X 830	815 X 465	463 X 720		
<b>EVAKOOL RF60 (WHITE)</b>	DS60	DS60SIDE	SL60	SL60SIDE	RAISE FRIDGE 25MM / COMPRESSOR TO FRONT / INCL EXT COMP UP 50MM	865L X 445W X 430H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
<b>EVAKOOL RF85 (WHITE)</b>	DS60 / DS95	N/A	SL60	SL60SIDE	RAISE FRIDGE 25MM / COMPRESSOR TO FRONT / INCL EXT COMP UP 50MM HANDLES NOT REMOVABLE, USE AS TIE DOWNS OVERALL LENGTH IS TOO LONG FOR SIDE DROP SLIDE AND BARRIER. RAISE FRIDGE 25MM / COMPRESSOR TO FRONT / INCL EXT COMP UP 50MM DOES NOT REQUIRE RAISING FRIDGE 25MM	925L X 495W X 470H WITH FRONT OVERHANG
FRIDGE BARRIER	FBDS60N / FBDS95N	N/A	FBSL60N	N/A		
TRAY DIMENSIONS DS60	865 X 535	N/A	860 x 530	520 X 840		
TRAY DIMENSIONS DS95	955 X 555	NA	950 X 555	555 X 940		NO OVERHANG
<b>EVAKOOL RF110 (WHITE)</b>	DS60 / DS95	N/A	SL60	SL60SIDE	RAISE FRIDGE 25MM / COMPRESSOR TO FRONT / INCL EXT COMP UP 50MM HANDLES NOT REMOVABLE, USE AS TIE DOWNS OVERALL LENGTH IS TOO LONG FOR SIDE DROP SLIDE AND BARRIER. RAISE FRIDGE 25MM / COMPRESSOR TO FRONT / INCL EXT COMP UP 50MM DOES NOT REQUIRE RAISING FRIDGE 25MM	985L X 465W X 475H
FRIDGE BARRIER	FBDS60N	N/A	FBSL60N	N/A		
TRAY DIMENSIONS DS60	865 X 535	N/A	860 x 530	520 X 840		
TRAY DIMENSIONS DS95	955 X 555	NA	950 X 555	555 X 940		NO OVERHANG
<b>EVAKOOL RF150 (WHITE)</b>	DS60 / DS95	N/A	SL60	SL60SIDE	RAISE FRIDGE 25MM / COMPRESSOR TO FRONT / INCL EXT COMP UP 50MM HANDLES NOT REMOVABLE, USE AS TIE DOWNS OVERALL LENGTH IS TOO LONG FOR SIDE DROP SLIDE AND BARRIER. RAISE FRIDGE 25MM / COMPRESSOR TO FRONT / INCL EXT COMP UP 50MM DOES NOT REQUIRE RAISING FRIDGE 25MM	985L X 465W X 605H
FRIDGE BARRIER	N/A	N/A	N/A	N/A		
TRAY DIMENSIONS DS60	865 X 535	N/A	860 x 530	N/A		
TRAY DIMENSIONS DS95	955 X 555	NA	950 X 555	555 X 940		NO OVERHANG
<b>EVAKOOL IB31 GREY (INDEL B)</b>	DS40	DS40SIDE	SL40	SL40SIDE	(DS40 & SL40) HANDLES CAN BE USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS40SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED	585L X 350W X 380H
FRIDGE BARRIER	FBDS40N	FBDS40SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	710 x 390	460 X 680	730 X 420	415 X 660		
<b>EVAKOOL IB40 GREY (INDEL B)</b>	DS40	DS40SIDE	SL40	SL40SIDE	(DS40 & SL40) HANDLES CAN BE USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS40SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED	585L X 350W X 445H
FRIDGE BARRIER	FBDS40N	FBDS40SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	710 x 390	460 X 680	730 X 420	415 X 660		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
EVAKOOL IB50 (INDEL B)	DS40	DS40SIDE	SL40	SL40SIDE	(DS40 & SL40) HANDLES CAN BE USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS40SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED	585L X 350W X 530H
FRIDGE BARRIER	FBDS40N	FBDS40SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	710 x 390	460 X 680	730 X 420	415 X 660		
EVAKOOL IB70DC	DS60	N/A	SL60	SL60SIDE	HANDLES NOT REMOVEABLE, USE AS TIE DOWNS	835L X 505W X 520H
FRIDGE BARRIER	FBDS60N	N/A	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	N/A	860 x 530	520 X 840		
EVAKOOL RV25	DS40	DS40SIDE	SL40	SL40SIDE	(DS40 & SL40) USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS40SIDE & SL40SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED	556L X 340W X 395H
FRIDGE BARRIER	FBDS40N	FBDS40SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	710 x 390	460 X 680	730 X 420	415 X 660		
EVAKOOL RV35	DS40	DS40SIDE	SL40	SL40SIDE	(DS40 & SL40) USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS40SIDE & SL40SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED	556L X 340W X 485H
FRIDGE BARRIER	FBDS40N	FBDS40SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	710 x 390	460 X 680	730 X 420	415 X 660		
EVAKOOL RV62	DS60	DS60SIDE	SL60	SL60SIDE	(DS60 & SL60) USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS60SIDE & SL60SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED	802L X 485W X 470H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
EVAKOOL RV82	DS60	DS60SIDE	SL60	SL60SIDE	(DS60 & SL60) USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS60SIDE & SL60SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED	802L X 485W X 568H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
EVAKOOL ED40 (WHITE)	DS40	DS40SIDE	SL40	SL40SIDE	HANDLES NOT REMOVEABLE, USE AS TIE DOWNS	650L X 355W X 490H
FRIDGE BARRIER	FBDS40N	FBDS40SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	710 x 390	460 X 680	730 X 420	415 X 660		
EVAKOOL GFM70	DS95	N/A	SL95	SL95SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS NEEDS TO BE PACKED UP 25MM DUE TO OVERHANG STRAPS TO MOTOR END WILL BE ON ANGLE	1030L X 400W X 430H
FRIDGE BARRIER	FBDS95N	N/A	FBSL95N	N/A		
TRAY DIMENSIONS	955 X 555	N/A	950 X 555	555 X 940		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
EVAKOOL GFM95	DS60	DS60SIDE	SL60	SL60SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	860L X 440W X 575H
FRIDGE BARRIER	N/A	N/A	N/A	N/A	TO HIGH FOR BARRIER	
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
EVAKOOL FM55	DS60	DS60SIDE	SL60	SL60SIDE	NO TIE DOWN POINTS	790L X 480W X 490H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
EVAKOOL FM60 YELLOW	DS95	N/A	SL95	SL95SIDE	MOULDED HANDLE TIE DOWN NEED TO WRAP AROUND / MOTOR TO FRONT NEEDS TO BE PACKED UP 25MM	925L X 495W X 470H
FRIDGE BARRIER	FBDS95N	NA	FBSL95N	N/A		
TRAY DIMENSIONS	955 X 555	N/A	950 X 555	940 X 555		
EVAKOOL FM70 YELLOW	DS95	N/A	SL95	N/A	MOULDED HANDLE TIE DOWN NEED TO WRAP AROUND / MOTOR TO FRONT NEEDS TO BE PACKED UP 25MM	1000L X 400W X 430H
FRIDGE BARRIER	FBDS95N	N/A	FBSL95N	N/A		
TRAY DIMENSIONS	955 X 555	N/A	950 X 555	N/A		
EVAKOOL FM95	DS60	DS60SIDE	SL60	SL60SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	860L X 440W X 575H
FRIDGE BARRIER	N/A	N/A	N/A	N/A	TO HIGH FOR BARRIER	
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
EVA KOOL TRAVELMATE TMDZ-50	DS45	DS50SIDE	SL40	SL50SIDE	USE HANDLES AS TIE DOWNS	748L X 410W X 428H
FRIDGE BARRIER	FBDS45N	FBDS50SIDEN	FBSL40N	FBSL50SIDEN		LENGTH 675 NO HANDLES
TRAY DIMENSIONS	690 X 480	465 X 830	730 X 420	470 X 805		
EVA KOOL TRAVELMATE TMDZ-60	DS50	DS50SIDE	SL50	SL50SIDE	USE HANDLES AS TIE DOWNS	795L X 448W X 435H
FRIDGE BARRIER	FBDS50N	FBDS50SIDEN	FBSL50N	FBSL50SIDEN		LENGTH 720 NO HANDLES
TRAY DIMENSIONS	810 X 480	465 X 830	815 X 465	470 X 805		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
EVA KOOL TRAVELMATE TMDZ-70	DS50	DS50SIDE	SL50	SL50SIDE	USE HANDLES AS TIE DOWNS	795L X 448W X 495H
FRIDGE BARRIER	FBDS50N	FBDS50SIDEN	FBSL50N	FBSL50SIDEN		LENGTH 720 NO HANDLES
TRAY DIMENSIONS	810 X 480	465 X 830	815 X 465	470 X 805		
EVA KOOL TRAVELMATE TMDZ-80	DS95	N/A	SL95	SL95SIDE	USE HANDLES AS TIE DOWNS	974L X 532W X 410H
FRIDGE BARRIER	FBDS95N	N/A	FBSL95N	FBSL95SIDEN		LENGTH 900 NO HANDLES
TRAY DIMENSIONS	955 X 555	N/A	950 X 555	940 X 555		
EVA KOOL TRAVELMATE TMDZ-95	DS95	N/A	SL95	SL95SIDE	USE HANDLES AS TIE DOWNS	974L X 532W X 467H
FRIDGE BARRIER	FBDS95N	N/A	FBSL95N	FBSL95SIDEN		LENGTH 900 NO HANDLES
TRAY DIMENSIONS	955 X 555	N/A	950 X 555	940 X 555		
EVA KOOL TRAVELMATE TMX 35	DS45	DS45SIDE	SL40	SL45SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	680L X 410W X 441H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL40N	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	730 X 420	463 X 720		
EVA KOOL TRAVELMATE TMX 45	DS45	DS45SIDE	SL40	SL45SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	680L X 410W X 491H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL40N	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	730 X 420	463 X 720		
EVA KOOL TRAVELMATE - TMX 50 END OPENING	DS45	DS45SIDE	SL40	SL45SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	680L X 410W X 521H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL40N	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	730 X 420	463 X 720		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
<b>EVA KOOL TRAVELMATE TMX 50 SIDE OPENING</b>	DS45	DS45SIDE	SL45	SL45SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	710L X 455W X 498H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL45N	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	700 x 470	463 X 720		
<b>EVA KOOL TRAVELMATE TMX 65</b>	DS45	DS45SIDE	SL45	SL45SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	710L X 455W X 558H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL45N	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	694 X 480	463 X 720		
<b>EVA KOOL TRAVELMATE TMX 75</b>	N/A TO HIGH	N/A TO HIGH	SL45	SL45SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	710L X 455W X 648H
FRIDGE BARRIER	N/A TO HIGH	N/A TO HIGH	N/A TO HIGH	N/A TO HIGH		
TRAY DIMENSIONS	N/A TO HIGH	N/A TO HIGH	700 x 470	463 X 720		
<b>EVAKOOL G45 (GLACIER)</b>	DS45	DS45SIDE	SL45	SL45SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	620L X 430W X 495H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL45N	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	700 x 470	463 X 720		
<b>EVAKOOL G55 (GLACIER)</b>	DS45	DS45SIDE	SL45	SL45SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	620L X 430W X 554H
FRIDGE BARRIER	FBDS45	FBDS45SIDEN	FBSL45	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	700 x 470	463 X 720		
<b>EVAKOOL G65 (GLACIER)</b>	N/A	N/A	SL45	SL45SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	620L X 430W X 634H
FRIDGE BARRIER			N/A	N/A		
TRAY DIMENSIONS			700 x 470	463 X 720		
<b>EVAKOOL G75 (GLACIER)</b>	DS60	DS60SIDE	SL60	SL60SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	805L X 475W X 514H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
<b>EVAKOOL G80 (GLACIER)</b>	DS60	DS60SIDE	SL60	SL60SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	805L X 475W X 514H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		



FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
<b>EVAKOOL G89 (GLACIER G100)</b>	DS60	DS60SIDE	SL60	SL60SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	805L X 475W X 579H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
<b>EVAKOOL SK45</b>	DS45	DS45SIDE	SL45	SL45SIDE	HANDLES CAN BE USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED	B 610L X 419W X 491H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL45N	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	700 x 470	463 X 720		
<b>EVAKOOL SK55</b>	DS45	DS45 SIDE	SL45	SL45 SIDE	HANDLES CAN BE USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED	B 650L X 439W X 498H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL45N	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	700 x 470	463 X 720		
<b>EVAKOOL SK65</b>	DS45	DS45SIDE	SL45	SL45SIDE	HANDLES CAN BE USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED	B 650L X 449W X 558H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL45N	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	700 x 470	463 X 720		
<b>GIANT POWER</b>						
<b>GIANT POWER GP45L</b>	DS60	DS60SIDE	SL60	SL60SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	690L X 490W X 475H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
<b>GIANT POWER GP60LF (FIBREGLASS)</b>	DS60	DS60SIDE	SL60	SL60SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	690L X 490W X 535H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
<b>GIANT POWER GP60L</b>	DS60	DS60SIDE	SL60	SL60SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	690L X 490W X 535H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
GIANT POWER GP80LD	DS95	N/A	SL95	SL95SIDE		865L X 535W X 560H
FRIDGE BARRIER	FBDS95N	N/A	FBSL95N	FBSL95SIDEN	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	
TRAY DIMENSIONS	955 X 555	N/A	950 X 555	940 X 555		
GIANT POWER GP80L	DS60	DS60SIDE	SL60	SL60SIDE		690L X 490W X 630H
FRIDGE BARRIER	N/A	N/A	N/A	N/A	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
<b>IRONMAN</b>						
IRONMAN 30L (INDEL B)	DS40	DS40SIDE	SL40	SL40SIDE	(DS40 & SL40) HANDLES CAN BE USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS40SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED	585L X 350W X 380H
FRIDGE BARRIER	FBDS40N	FBDS40SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	710 x 390	460 X 680	730 X 420	415 X 660		
IRONMAN 40L (INDEL B)	DS40	DS40SIDE	SL40	SL40SIDE	(DS40 & SL40) HANDLES CAN BE USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS40SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED	585L X 350W X 490H
FRIDGE BARRIER	FBDS40N	FBDS40SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	710 x 390	460 X 680	730 X 420	415 X 660		
IRONMAN 50L (INDEL B)	DS40	DS40SIDE	SL40	SL40SIDE	(DS40 & SL40) HANDLES CAN BE USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS40SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED	585L X 350W X 530H
FRIDGE BARRIER	FBDS40N	FBDS40SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	710 x 390	460 X 680	730 X 420	415 X 660		
IRONMAN 65L	DS60	DS60SIDE	SL60	SL60SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	785L X 470W X 490H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
IRONMAN 74L	DS60	DS60SIDE	SL60	SL60SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	785L X 470W X 490H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
-----------------------	------------------------	----------------------	----------------	---------------------	----------	---------------------------

## KICKASS

UNI ZONE 65L	DS60	DS60SIDE	SL60	SL60SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	800L X 470W X 460H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		

UNI ZONE 80L	DS60	DS60SIDE	SL60	SL60SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	800L X 470W X 515H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		

DUAL ZONE 75L	DS60	DS60SIDE	SL60	SL60SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	800L X 470W X 515H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		

DUAL ZONE 100L	DS60	DS60SIDE	SL60	SL60SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	800L X 470W X 620H
FRIDGE BARRIER	N/A	N/A	N/A	N/A	BARRIER NOT AVAILABLE AS FRIDGE IS TOO HIGH	
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		

## MYCOOLMAN

CCP 36 SINGLE ZONE	DS45	DS45SIDE	SL40	SL45SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	652L X 412W X 428H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL40N	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	730 X 420	463 X 720		

CCP 44 SINGLE ZONE	DS45	DS45SIDE	SL40	SL45SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	652L X 412W X 488H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL40N	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	730 X 420	463 X 720		

CCP 60 SINGLE ZONE	DS50	DS50SIDE	SL50	SL50SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	732L X 456W X 488H
FRIDGE BARRIER	FBDS50N	FBDS50SIDEN	FBSL50N	FBSL50SIDEN		
TRAY DIMENSIONS	810 X 480	465 X 830	815 X 465	470 X 805		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
CCP 69 DUAL ZONE	DS50	DS50SIDE	SL50	SL50SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	732L X 456W X 555H
FRIDGE BARRIER	FBDS50N	FBDS50SIDEN	FBSL50N	FBSL50SIDEN	BARRIER NOT AVAILABLE AS FRIDGE IS TO HIGH	
TRAY DIMENSIONS	810 X 480	465 X 830	815 X 465	470 X 805		
CCP 73 SINGLE ZONE	DS50	DS50SIDE	SL50	SL50SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	732L X 456W X 555H
FRIDGE BARRIER	FBDS50N	FBDS50SIDEN	FBSL50N	FBSL50SIDEN	BARRIER NOT AVAILABLE AS FRIDGE IS TO HIGH	
TRAY DIMENSIONS	810 X 480	465 X 830	815 X 465	470 X 805		
CCP 96 DUAL ZONE	DS95	N/A	SL95	SL95SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	912L X 536W X 500H
FRIDGE BARRIER	FBDS95N	N/A	FBSL95N	FBSL95SIDEN		
TRAY DIMENSIONS	955 X 555	N/A	950 X 555	940 X 555		
CCP 105 SINGLE ZONE	DS95	N/A	SL95	SL95SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	912L X 536W X 500H
FRIDGE BARRIER	FBDS95N	N/A	FBSL95N	FBSL95SIDEN		
TRAY DIMENSIONS	955 X 555	N/A	950 X 555	940 X 555		
<b>NATIONAL LUNA</b>						
NATIONAL LUNA 40/42	DS45	DS40SIDE	SL40	SL40SIDE	STAINLESS & ALLOY - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	610 X 405W X 515H
FRIDGE BARRIER	FBDS45N	FBDS40SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 680	730 X 420	415 X 660		
NATIONAL LUNA 50/52	DS50	DS45SIDE	SL40	SL45SIDE	STAINLESS & ALLOY - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	685L X 370W X 506H
FRIDGE BARRIER	FBDS50N	FBDS45SIDEN	FBSL40N	FBSL45SIDEN		
TRAY DIMENSIONS	810 X 480	460 X 730	730 X 420	463 X 720		
NATIONAL LUNA 50 - END HINGE	DS40	DS45SIDE	SL40	SL45SIDE	STAINLESS & ALLOY - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	685L X 370W X 506H
FRIDGE BARRIER	FBDS40N	FBDS45SIDEN	FBSL40N	FBSL45SIDEN	HINGE MUST BE PLACED ON THE END FOR THIS FRIDGE TO FIT DS40	
TRAY DIMENSIONS	710 X 390	460 X 730	730 X 420	463 X 720		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
NATIONAL LUNA 55	DS50	DS50SIDE	SL40	SL50SIDE	STAINLESS & ALLOY - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	725L X 400W X 535H
FRIDGE BARRIER	FBDS50N	FBDS50SIDEN	FBSL40N	FBSL50SIDEN		
TRAY DIMENSIONS	810 X 480	465 X 830	730 X 420	470 X 805		
NATIONAL LUNA 60	DS50	DS50SIDE	SL40	SL50SIDE	STAINLESS & ALLOY - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	725L X 410W X 535H
FRIDGE BARRIER	FBDS50N	FBDS50SIDEN	FBSL40N	FBSL50SIDEN		
TRAY DIMENSIONS	810 X 480	465 X 830	730 X 420	470 X 805		
NATIONAL LUNA 65	N/A	N/A	SL40	SL45SIDE	ALLOY - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	685L X 370W X 715H
FRIDGE BARRIER	N/A	N/A	N/A	N/A		
TRAY DIMENSIONS			730 X 420	463 X 720		
NATIONAL LUNA 72 D/D	DS60	DS60SIDE	SL60	SL60SIDE	STAINLESS & ALLOY - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	810L X 480W X 535H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
NATIONAL LUNA 80	DS60	DS60SIDE	SL60	SL60SIDE	STAINLESS & ALLOY - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	810L X 480W X 535H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
NATIONAL LUNA 90	DS60	DS60SIDE	SL60	SL60SIDE	STAINLESS & ALLOY - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	810L X 480W X 535H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
NATIONAL LUNA 95	DS60	DS60SIDE	SL60	SL60SIDE	STAINLESS - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	810L X 480W X 635H
FRIDGE BARRIER	N/A TO HIGH	N/A TO HIGH	N/A TO HIGH	N/A TO HIGH		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
NATIONAL LUNA 125	N/A TO HIGH	N/A TO HIGH	SL60	SL60SIDE	STAINLESS - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	810L X 480W X 750H
FRIDGE BARRIER	N/A TO HIGH	N/A TO HIGH	N/A TO HIGH	N/A TO HIGH		
TRAY DIMENSIONS	N/A TO HIGH	N/A TO HIGH	860 x 530	520 X 840		

## OPPOSITE LOCK

OPPOSITE LOCK 50L (INDEL B)	DS40	DS40SIDE	SL40	SL40SIDE	(DS40 & SL40) HANDLES CAN BE USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS40SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED	585L X 350W X 530H
FRIDGE BARRIER	FBDS40N	FBDS40SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	710 x 390	460 X 680	730 X 420	415 X 660		
OPPOSITE LOCK 40L OP40SS	DS45	DS40SIDE	SL45	SL45SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	600L X 420W X 525H
FRIDGE BARRIER	FBDS45N	FBDS40SIDEN	FBSL45N	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 680	700 x 470	463 X 720		
OPPOSITE LOCK 72L OP80DSS	DS50	DS60SIDE	SL50	SL45SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	715L X 455W X 605H
FRIDGE BARRIER	N/A	N/A	N/A	N/A		
TRAY DIMENSIONS	810 X 480	515 X 850	815 X 465	463 X 720		

## PRIMUS

PRIMUS 40L - RED LID	DS45	DS40SIDE	SL45	SL45SIDE	STAINLESS, OLD STYLE RED TOP - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	628L X 450W X 528H
FRIDGE BARRIER	FBDS45N	FBDS40SIDEN	FBSL45N	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 680	700 x 470	463 X 720		
PRIMUS 60L - RED LID	DS50	DS45SIDE	SL50	SL45SIDE	STAINLESS, OLD STYLE RED TOP - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	715L X 455W X 525H
FRIDGE BARRIER	FBDS50N	FBDS45SIDEN	FBSL50N	FBSL45SIDEN		
TRAY DIMENSIONS	810 X 480	460 X 730	815 X 465	463 X 720		
PRIMUS 60L DUO - RED LID	DS50	DS45SIDE	SL50	SL45SIDE	STAINLESS, OLD STYLE RED TOP - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	715L X 455W X 525H
FRIDGE BARRIER	FBDS50N	FBDS45SIDEN	FBSL50N	FBSL45SIDEN		
TRAY DIMENSIONS	810 X 480	460 X 730	815 X 465	463 X 720		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
PRIMUS 80L - RED LID	DS60	DS60SIDE	SL60	SL60SIDE	STAINLESS, OLD STYLE RED TOP	790L X 465W X 585H
FRIDGE BARRIER	N/A TO HIGH	N/A TO HIGH	N/A TO HIGH	N/A - TO HIGH		
TRAY DIMENSIONS	865 X 530	515 X 850	854 X 525	520 X 840		
PRIMUS 31L (INDEL B)	DS40	DS45SIDE	SL40	SL45SIDE	(DS40 & SL40) HANDLES CAN BE USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS40SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED	700L X 380W X 385H
FRIDGE BARRIER	FBDS40N	FBDS45SIDEN	FBSL40N	FBSL45SIDEN		
TRAY DIMENSIONS	710 x 390	460 X 730	730 X 420	463 X 720		
PRIMUS 40L (INDEL B)	DS40	DS45SIDE	SL40	SL45SIDE	(DS40 & SL40) HANDLES CAN BE USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS40SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED	700L X 380W X 430H
FRIDGE BARRIER	FBDS40N	FBDS45SIDEN	FBSL40N	FBSL45SIDEN		
TRAY DIMENSIONS	710 x 390	460 X 730	730 X 420	463 X 720		
PRIMUS 50L (INDEL B)	DS40	DS45SIDE	SL40	SL45SIDE	(DS40 & SL40) HANDLES CAN BE USED AS A TIE DOWN POINT, OR USE ANODISED BRACKETS PROVIDED (DS40SIDE) HANDLES NEED TO BE REMOVED AND MSA TIE DOWN BRACKETS INSTALLED	700L X 280W X 515H
FRIDGE BARRIER	FBDS40N	FBDS45SIDEN	FBSL40N	FBSL45SIDEN		
TRAY DIMENSIONS	710 x 390	460 X 730	730 X 420	463 X 720		
PRIMUS 45L (MAMMOTH)	DS40	DS45SIDE	SL40	SL45SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	691L X 374W X 447H
FRIDGE BARRIER	FBDS40N	FBDS45SIDEN	FBSL40N	FBSL45SIDEN		
TRAY DIMENSIONS	710 x 390	460 X 730	730 X 420	463 X 720		
PRIMUS 60 (MAMMOTH)	DS40	DS45SIDE	SL40	SL45SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	691L X 374W X 552H
FRIDGE BARRIER	FBDS40N	FBDS45SIDEN	FBSL40N	FBSL45SIDEN		
TRAY DIMENSIONS	710 x 390	460 X 730	730 X 420	463 X 720		
PRIMUS 65L DUAL (MAMMOTH)	DS60	DS60SIDE	SL60	SL60SIDE	NEW RANGE, DUAL ZONE FRIDGE/FREEZER HANDLES NOT REMOVABLE, USE AS TIE DOWNS	790L X 465W X 495H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
PRIMUS 74L (MAMMOTH)	DS60	DS60SIDE	SL60	SL60SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	790L X 465W X 495H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
<b>PRIMUS 92L DUAL (MAMMOTH)</b>	DS60	DS60SIDE	SL60	SL60SIDE	NEW RANGE, DUAL ZONE FRIDGE/FREEZER HANDLES NOT REMOVABLE, USE AS TIE DOWNS	790L X 465W X 615H
FRIDGE BARRIER	N/A TO HIGH	N/A TO HIGH	N/A TO HIGH	N/A - TO HIGH		
TRAY DIMENSIONS	865 X 535	N/A TO HIGH	860 x 530	520 X 840		
<b>PRIMUS 100L (MAMMOTH)</b>	DS60	DS60SIDE	SL60	SL60SIDE	HANDLES NOT REMOVABLE, USE AS TIE DOWNS	790L X 465W X 615H
FRIDGE BARRIER	N/A TO HIGH	N/A TO HIGH	N/A TO HIGH	N/A - TO HIGH		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
<b>PRIMUS 118L (DUAL MAMMOTH)</b>	N/A - TO HIGH	N/A - TO HIGH	SL60	SL60SIDE	NEW RANGE, DUAL ZONE FRIDGE/FREEZER HANDLES NOT REMOVABLE, USE AS TIE DOWNS	790L X 465W X 740H
FRIDGE BARRIER	N/A - TO HIGH	N/A - TO HIGH	N/A TO HIGH	N/A - TO HIGH		
TRAY DIMENSIONS	N/A - TO HIGH	N/A - TO HIGH	860 x 530	520 X 840		
<b>PRIMUS 130L (MAMMOTH)</b>	N/A - TO HIGH	N/A - TO HIGH	SL60	SL60SIDE	NEW RANGE HANDLES NOT REMOVABLE, USE AS TIE DOWNS	790L X 465W X 740H
FRIDGE BARRIER	N/A - TO HIGH	N/A - TO HIGH	N/A TO HIGH	N/A - TO HIGH		
TRAY DIMENSIONS	N/A - TO HIGH	515 X 850	860 x 530	520 X 840		

## SNOMASTER

<b>42L TRAVELLER (55MM INSULATION)</b>	DS40	DS40SIDE	SL40	SL40SIDE	STAINLESS STEEL SINGLE DOOR	640L X 364W X 520H
FRIDGE BARRIER	FBDS40N	FBDS40SIDEN	FBSL40N	FBSL40SIDEN	ADD 20MM PER SIDE FOR HINGES AND HANDLES FOR CAGE , THESE ARE BASE AND HEIGHT SIZES.	
TRAY DIMENSIONS	710 x 390	460 X 680	730 X 420	415 X 660		
<b>40L CLASSIC (60MM INSULATION)</b>	DS45	DS40SIDE	SL40	SL45SIDE	STAINLESS STEEL SINGLE DOOR	600L X 420W X 520H
FRIDGE BARRIER	FBDS45N	FBDS40SIDEN	FBSL40N	FBSL45SIDEN	ADD 20MM PER SIDE FOR HINGES AND HANDLES FOR CAGE , THESE ARE BASE AND HEIGHT SIZES.	
TRAY DIMENSIONS	690 X 480	460 X 680	730 X 420	463 X 720		
<b>56L CLASSIC (60MM INSULATION)</b>	DS50	DS50SIDE	SL50	SL50SIDE	STAINLESS STEEL DOUBLE DOOR	715L X 450W X 525H
FRIDGE BARRIER	FBDS50N	FBDS50SIDEN	FBSL50N	FBSL50SIDEN	ADD 20MM PER SIDE FOR HINGES AND HANDLES FOR CAGE , THESE ARE BASE AND HEIGHT SIZES.	
TRAY DIMENSIONS	810 X 480	465 X 830	815 X 465	470 X 805		



FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
60L CLASSIC (60MM INSULATION)	DS50	DS50SIDE	SL50	SL50SIDE	STAINLESS STEEL SINGLE DOOR	715L X 450W X 525H
FRIDGE BARRIER	FBDS50N	FBDS50SIDEN	FBSL50N	FBSL50SIDEN	ADD 20MM PER SIDE FOR HINGES AND HANDLES FOR CAGE , THESE ARE BASE AND HEIGHT SIZES.	
TRAY DIMENSIONS	810 X 480	465 X 830	815 X 465	470 X 805		
80L CLASSIC (60MM INSULATION)	DS95	N/A	SL95	SL95SIDE	STAINLESS STEEL SINGLE DOOR	720L X 530W X 525H
FRIDGE BARRIER	FBDS95N	N/A	FBSL95N	FBSL95SIDEN	ADD 20MM PER SIDE FOR HINGES AND HANDLES FOR CAGE , THESE ARE BASE AND HEIGHT SIZES.	
TRAY DIMENSIONS	955 X 555	N/A	950 X 555	940 X 555		
66L EXPEDITION (70MM INSULATION)	DS60	DS60SIDE	SL60	SL60SIDE	STAINLESS STEEL DOUBLE DOOR	825L X 470W X 535H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN	ADD 20MM PER SIDE FOR HINGES AND HANDLES FOR CAGE , THESE ARE BASE AND HEIGHT SIZES.	
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
75L EXPEDITION (70MM INSULATION)	DS60	DS60SIDE	SL60	SL60SIDE	STAINLESS STEEL SINGLE DOOR	825L X 470W X 535H
FRIDGE BARRIER	FBDS60	FBDS60SIDE	FBSL60	FBSL60SIDE	ADD 20MM PER SIDE FOR HINGES AND HANDLES FOR CAGE , THESE ARE BASE AND HEIGHT SIZES.	
TRAY DIMENSIONS	865 X 535	515 x 850	860 x 530	520 x 840		
85L EXPEDITION (70MM INSULATION)	DS60	N/A	SL60	SL60SIDE	STAINLESS STEEL DOUBLE DOOR	825L X 470W X 675H
FRIDGE BARRIER	N/A	N/A	N/A	N/A	ADD 20MM PER SIDE FOR HINGES AND HANDLES FOR CAGE , THESE ARE BASE AND HEIGHT SIZES.	
TRAY DIMENSIONS	865 X 535	N/A	860 x 530	520 X 840		
95L EXPEDITION (70MM INSULATION)	DS60	N/A	SL60	SL60SIDE	STAINLESS STEEL SINGLE DOOR	825L X 470W X 675H
FRIDGE BARRIER	N/A	N/A	N/A	N/A	ADD 20MM PER SIDE FOR HINGES AND HANDLES FOR CAGE , THESE ARE BASE AND HEIGHT SIZES.	
TRAY DIMENSIONS	865 X 535	N/A	860 x 530	520 X 840		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
-----------------------	------------------------	----------------------	----------------	---------------------	----------	---------------------------

## TECHNIICE

TECHNIICE 42L	DS40	DS45SIDE	SL40	SL40SIDE	STAINLESS & ALLOY - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	680L X 365W X 520H
FRIDGE BARRIER	FBDS40	FBDS45SIDE	FBSL40	FBSL40SIDE		
TRAY DIMENSIONS	710 x 390	460 x 730	730 x 420	415 x 660		

TECHNIICE 60L	DS50	DS50SIDE	SL50	SL50SIDE	STAINLESS & ALLOY - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	720L X 456W X 530H
FRIDGE BARRIER	FBDS50	FBDS50SIDE	FBSL50	FBSL50SIDE		
TRAY DIMENSIONS	810 x 480	465 x 830	815 x 465	470 x 805		

TECHNIICE 60L	DS50	DS50SIDE	SL50	SL50SIDE	STAINLESS & ALLOY - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	720L X 456W X 530H
FRIDGE BARRIER	FBDS50	FBDS50SIDE	FBSL50	FBSL50SIDE		
TRAY DIMENSIONS	810 x 480	465 x 830	815 x 465	470 x 805		

## THUNDER

THUNDER 60LTR	DS50	DS50SIDE	SL50	SL50SIDE	NEW RANGE - HANDLES REMOVABLE	770L X 450W X 428H
FRIDGE BARRIER	FBDS50N	FBDS50SIDEN	FBSL50N	FBSL50SIDEN		
TRAY DIMENSIONS	810 X 480	465 X 830	815 X 465	470 X 805		

## TRAILBLAZA

TRAILBLAZA ALBIE SLIDER 65	DS60	N/A	SL60	SL60SIDE	ALLOY - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	850L X 510W X 535H
FRIDGE BARRIER	FBDS60N	N/A	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	N/A	860 x 530	520 X 840		

TRAILBLAZA ALBIE SLIDER 75	DS60	N/A	SL60	SL60SIDE	ALLOY - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	850L X 510W X 605H
FRIDGE BARRIER	N/A TO HIGH	N/A	N/A TO HIGH	N/A TO HIGH		
TRAY DIMENSIONS	865 X 535	N/A	860 x 530	520 X 840		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
TRAILBLAZA ALBIE SLIDER 85	DS60	N/A	SL60	SL60SIDE	ALLOY - HANDLES NOT REMOVABLE, USE AS TIE DOWNS	850L X 510W X 660H
FRIDGE BARRIER	N/A TO HIGH	N/A	N/A TO HIGH	N/A TO HIGH		
TRAY DIMENSIONS	865 X 535	N/A	860 x 530	520 X 840		
TRAILBLAZA 50 (75 INSUL)	DS60	N/A	SL60	SL95SIDE	(75MM INSULATION) HANDLES NOT REMOVABLE, USE AS TIE DOWNS	855L X 455W X 470H
FRIDGE BARRIER	FBDS60N	N/A	FBSL60N	N/A		
TRAY DIMENSIONS	865 X 535	N/A	860 X 530	940 X 555		
TRAILBLAZA 60 (75 INSUL)	DS60	N/A	SL60	SL95SIDE	(75MM INSULATION) HANDLES NOT REMOVABLE, USE AS TIE DOWNS	855L X 455W X 530H
FRIDGE BARRIER	FBDS60N	N/A	FBSL60N	N/A		
TRAY DIMENSIONS	865 X 535		860 X 530	940 X 555		
TRAILBLAZA 70 (75 INSUL)	DS60	N/A	SL60	SL95SIDE	(75MM INSULATION) HANDLES NOT REMOVABLE, USE AS TIE DOWNS	855L X 455W X 600H
FRIDGE BARRIER	FBDS60N	N/A	N/A	N/A		
TRAY DIMENSIONS	865 X 535	N/A	860 X 530	940 X 555		
TRAILBLAZA 80 (75 INSUL)	DS60	N/A	SL60	SL95SIDE	(75MM INSULATION) HANDLES NOT REMOVABLE, USE AS TIE DOWNS	855L X 455W X 655H
FRIDGE BARRIER	FBDS60N	N/A	N/A TOO HIGH	N/A		
TRAY DIMENSIONS	865 X 535	N/A	860 X 530	940 X 555		
TRAILBLAZA 90 (75 INSUL)	N/A	N/A	SL60	SL95SIDE	N/A	855L X 455W X 715H
FRIDGE BARRIER	N/A	N/A	N/A TOO HIGH	N/A		
TRAY DIMENSIONS		N/A	860 X 530	940 X 555		
TRAILBLAZA 100 (75 INSUL)	N/A	N/A	SL60	SL95SIDE	N/A	855L X 455W X 775H
FRIDGE BARRIER	N/A	N/A	N/A TOO HIGH	N/A		
TRAY DIMENSIONS		N/A	860 X 530	940 X 555		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
TRAILBLAZA 30 (125 INSUL)	DS60	N/A	SL60	SL95SIDE	125MM INSULATION	855L X 455W X 530H
FRIDGE BARRIER	FBDS60N	N/A	FBSL60N	N/A		
TRAY DIMENSIONS	865 X 535	N/A	860 X 530	940 X 555		
TRAILBLAZA 40 (125 INSUL)	DS60	N/A	SL60	SL95SIDE	125MM INSULATION	855L X 455W X 600H
FRIDGE BARRIER	FBDS60N	N/A	N/A TOO HIGH	N/A		
TRAY DIMENSIONS	865 X 535	N/A	860 X 530	940 X 555		
TRAILBLAZA 40 COMPACT	DS60	DS60SIDE	SL60	SL60SIDE	75MM INSULATION	705L 505W X 465H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
TRAILBLAZA 50 COMPACT	DS60	DS60SIDE	SL60	SL60SIDE	75MM INSULATION	705L X 505W X 535H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
TRAILBLAZA 60 COMPACT	DS60	DS60SIDE	SL60	SL60SIDE	75MM INSULATION	705L X 505W X 600H
FRIDGE BARRIER	N/A	N/A	N/A	N/A		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
TRAILBLAZA 70 COMPACT	DS60	DS60SIDE	SL60	SL60SIDE	75MM INSULATION	705L X 505W X 675H
FRIDGE BARRIER	N/A	N/A	N/A	N/A		
TRAY DIMENSIONS	865 X 535	515 X 850	860 x 530	520 X 840		
TRAILBLAZA 80 COMPACT	N/A	N/A	SL60	SL60SIDE	75MM INSULATION FRIDGE TOO HIGH FOR DS MODELS	705L X 505W X 750H
FRIDGE BARRIER	N/A	N/A	N/A	N/A		
TRAY DIMENSIONS	N/A	N/A	860 x 530	520 X 840		
TRAILBLAZA 40L NEW RANGE	DS50	DS50SIDE	SL50	SL50SIDE	NEW RANGE	740L X 430W X 505H
FRIDGE BARRIER	FBDS50N	FBDS50SIDEN	FBSL50N	FBSL50SIDEN		
TRAY DIMENSIONS	810 X 480	465 X 830	815 X 465	470 X 805		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
TRAILBLAZA 50L NEW RANGE	DS50	DS50SIDE	SL50	SL50SIDE	NEW RANGE	740L X 430W X 585H
FRIDGE BARRIER	N/A	N/A	N/A	N/A		
TRAY DIMENSIONS	810 X 480	465 X 830	815 X 465	470 X 805		

TRAILBLAZA 60L NEW RANGE	N/A TO HIGH	N/A TO HIGH	SL50	SL50SIDE	NEW RANGE (WOULD NEED HANDLE EXTENDED)	740L X 430W X 665H
FRIDGE BARRIER	N/A TO HIGH	N/A TO HIGH	N/A TO HIGH	N/A TO HIGH	FRIDGE TO HIGH FOR DS MODELS	
TRAY DIMENSIONS	N/A TO HIGH	N/A TO HIGH	815 X 465	470 X 805		

## WAECO

WAECO CF40	DS40	DS40SIDE	SL40	SL40SIDE	HANDLES REMOVABLE	580L X 360W X 445H
FRIDGE BARRIER	FBDS40N	FBDS40SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	710 x 390	460 x 680	730 x 420	415 x 660		

WAECO CF50	DS40	DS40SIDE	SL40	SL40SIDE	HANDLES REMOVABLE	630L X 360W X 480H
FRIDGE BARRIER	FBDS40N	FBDS40SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	710 x 390	460 x 680	730 x 420	415 x 660		

WAECO CF60	DS40	DS40SIDE	SL40	SL40SIDE	HANDLES REMOVABLE	630L X 360W X 580H
FRIDGE BARRIER	N/A - TO HIGH	N/A - TO HIGH	N/A - TO HIGH	N/A - TO HIGH		
TRAY DIMENSIONS	710 X 390	460 x 680	730 x 420	415 x 660		

WAECO CF80	DS60	DS60SIDE	SL60	SL60SIDE	HANDLES REMOVABLE	790L X 500W X 455H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 x 850	860 x 530	520 x 840		

WAECO CF110	DS60	DS60SIDE	SL60	SL60SIDE	HANDLES REMOVABLE	790L X 500W X 555H
FRIDGE BARRIER	FBDS60N	FBDS60SIDEN	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	515 x 850	860 x 530	520 x 840		

WAECO CFX 35	DS45	DS45SIDE	SL40	SL40SIDE	HANDLES REMOVABLE	630L X 398W X 411H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	730 X 420	415 X 660		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
WAECO CFX 40	DS45	DS45SIDE	SL40	SL40SIDE	HANDLES REMOVABLE	630L X 398W X 461H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	730 X 420	415 X 660		
WAECO CFX 50	DS45	DS45SIDE	SL45	SL45SIDE	HANDLES REMOVABLE	661L X 445W X 471H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL45N	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	700 x 470	463 X 720		
WAECO CFX 65	DS45	DS45SIDE	SL45	SL45SIDE	HANDLES REMOVABLE	661L X 455W X 561H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL45N	FBSL45SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	700 x 470	463 X 720		
WAECO CFX 75 - DUAL	DS60	N/A	SL60	SL60SIDE	HANDLES REMOVABLE SL60SIDE 12V POWER CABLE VERY TIGHT - SPACER BLOCK REQUIRED HANDLES WILL NEED REMOVING FOR USE WITH FRIDGE BARRIERS PLEASE NOTE THERE ARE NO FEET MOUNTING HOLES AVAILABLE IN TRAYS AT THIS TIME	830L X 495W X 472H
FRIDGE BARRIER	FBDS60N	N/A	FBSL60N	FBSL60SIDEN		
TRAY DIMENSIONS	865 X 535	N/A	860 x 530	520 X 840		
WAECO CFX 95 DUAL	DS95	N/A	SL95	SL95SIDE	HANDLES REMOVABLE	900L X 530W X 472H
FRIDGE BARRIER	FBDS95N	N/A	FBSL95N	FBSL95SIDEN		
TRAY DIMENSIONS	955 X 555	N/A	950 X 555	940 X 555		
WAECO CFX 100 SINGLE	DS95	N/A	SL95	SL95SIDE	HANDLES REMOVABLE	900L X 530W X 472H
FRIDGE BARRIER	FBDS95N	N/A	FBSL95N	FBSL95SIDEN		
TRAY DIMENSIONS	955 X 555	N/A	950 X 555	940 X 555		
WAECO CFF 45 - NEW MODEL	DS45	DS45SIDE	SL40	SL40SIDE	HANDLES REMOVABLE	653L X 398W X 475H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL40N	FBSL40SIDEN		
TRAY DIMENSIONS	690 X 480	460 X 730	730 X 420	415 X 660	PLEASE NOTE THERE ARE NO FEET MOUNTING HOLES AVAILABLE IN TRAYS AT THIS TIME	
WAECO CFX335 - NEW/M	DS45	DS45SIDE	SL40	SL40SIDE	HANDLES REMOVABLE	630L X 398W X 407H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL40N	FBSL40SIDEN	PLEASE NOTE THERE ARE NO FEET MOUNTING HOLES AVAILABLE IN TRAYS AT THIS TIME	
TRAY DIMENSIONS	690 X 480	460 X 730	730 X 420	415 X 660		

FRIDGE BRAND AND SIZE	DROP DOWN FRIDGE SLIDE	DROP DOWN SIDE SLIDE	STRAIGHT SLIDE	STRAIGHT SIDE SLIDE	COMMENTS	FRIDGE DIMENSIONS AT BASE
WAECO CFX345 - NEW/M	DS45	DS45SIDE	SL40	SL40SIDE	HANDLES REMOVABLE	630L X 398W X 476H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL40N	FBSL40SIDEN	PLEASE NOTE THERE ARE NO FEET MOUNTING HOLES AVAILABLE IN TRAYS AT THIS TIME	
TRAY DIMENSIONS	690 X 480	460 X 730	730 X 420	415 X 660		
WAECO CFX355 - NEW/M	DS45	DS45SIDE	SL45	SL45SIDE	HANDLES REMOVABLE	660L X 445W X 480H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL45N	FBSL45SIDEN	PLEASE NOTE THERE ARE NO FEET MOUNTING HOLES AVAILABLE IN TRAYS AT THIS TIME	
TRAY DIMENSIONS	690 X 480	460 X 730	700 x 470	463 X 720		
WAECO CFX355IM - NEW/M	DS45	DS45SIDE	SL45	SL45SIDE	HANDLES REMOVABLE	660L X 445W X 480H
FRIDGE BARRIER	FBDS45N	FBDS45SIDEN	FBSL45N	FBSL45SIDEN	PLEASE NOTE THERE ARE NO FEET MOUNTING HOLES AVAILABLE IN TRAYS AT THIS TIME	
TRAY DIMENSIONS	690 X 480	460 X 730	700 x 470	463 X 720		
WAECO CFX375DZ - NEW/M	DS60	N/A	SL60	SL60SIDE	HANDLES REMOVABLE	832L X 495W X 472H
FRIDGE BARRIER	FBDS60N	N/A	FBSL60N	FBSL60SIDEN	PLEASE NOTE THERE ARE NO FEET MOUNTING HOLES AVAILABLE IN TRAYS AT THIS TIME	
TRAY DIMENSIONS	865 X 535	N/A	860 x 530	520 X 840		
WAECO CFX395DZ - NEW/M	DS95	N/A	SL95	SL95SIDE	HANDLES REMOVABLE	902L X 530W X 472H
FRIDGE BARRIER	FBDS95N	N/A	FBSL95N	FBSL95SIDEN	PLEASE NOTE THERE ARE NO FEET MOUNTING HOLES AVAILABLE IN TRAYS AT THIS TIME	
TRAY DIMENSIONS	955 X 555	N/A	950 X 555	940 X 555		