



HVAC installation
SOLUTIONS

Fortress®

Lineset duct and fittings.

Professional protection for A/C systems.



- **Satin finish**
- **Heavy duty grade.** For mini-splits, high velocity and conventional ducted AC systems.
- **Snap together design** for quick installation
- **UV and weather resistant**
- **Stylish.** Compliments any residential or commercial building.
- **2 sizes, 4 color options**
- **8' duct lengths.** 6 lengths per box






















Longer 8ft ducting

minimizes joints and reduces waste.


Paintable.

Brush, spray or roller to match or complement custom colors. Follow paint manufacturers recommendations for vinyl products.



	MODEL	SIZE	DESCRIPTION	L	W	H
	LD92	3 1/2	Ducting	96"	3 5/8"	2 5/8"
	LD122	4 1/2	Ducting	96"	4 5/8"	3 1/4"
	LAD150W	6	Ducting	48"	6"	4"
	LJ92	3 1/2	Coupler	2 5/8"	3 7/8"	2 3/4"
	LJ122	4 1/2	Coupler	2 5/8"	4 7/8"	3 1/2"
	LAJ150W	6	Coupler	5"	6"	4"
	LW92	3 1/2	Wall Inlet	9"	4 3/8"	3 1/8"
	LW122	4 1/2	Wall Inlet	9 3/4"	5 3/8"	4"
	LAW150W	6	Wall Inlet	13"	9"	13"
	LEN92	3 1/2	End Fitting	4 1/4"	3 7/8"	2 3/4"
	LEN122	4 1/2	End Fitting	4 1/4"	4 7/8"	3 1/2"
	LAE150W	6	End Fitting	5"	6"	9"
	LK92	3 1/2	90° Flat Ell	5 3/4"	5 3/4"	2 3/4"
	LK122	4 1/2	90° Flat Ell	6 1/4"	6 1/2"	3 1/2"
	LAK150W	6	90° Flat Ell	9"	6"	9"
Above fittings also available in LDK Kit pack (shown right)						
	LP92	3 1/2	Soffit Inlet	3 1/2"	6"	4 7/8"
	LP122	4 1/2	Soffit Inlet	3 1/2"	7"	5 1/2"
	LHJK150W	6	Soffit Inlet	7"	9"	4"
	LKF92	3 1/2	45° Flat Ell	4 7/8"	4 7/8"	2 3/4"
	LKF122	4 1/2	45° Flat Ell	6 1/2"	6 1/2"	3 1/2"
	LCI92	3 1/2	90° Inside Vertical Ell	5 1/4"	5 1/4"	2 3/4"
	LC122	4 1/2	90° Inside Vertical Ell	5 1/4"	5 1/4"	3 1/2"
	LAC150W	6	90° Inside Vertical Ell	7"	6"	8"
	LCO92	3 1/2	90° Outside Vertical Ell	4 1/2"	4 1/2"	2 3/4"
	LCO122	4 1/2	90° Outside Vertical Ell	5 1/4"	5 1/4"	3 1/2"
ADJUSTABLE!	LACM150W	6	120° Adjustable Vertical Ell	11"	6"	9"
	LAKM150W	6	120° Adjustable Flat Ell	11"	11"	4"
	LCFI92	3 1/2	45° Inside Vertical Ell	4 3/4"	3 7/8"	2 3/4"
	LCFI122	4 1/2	45° Inside Vertical Ell	6 1/4"	4 7/8"	3 1/2"
	LCFO92	3 1/2	45° Outside Vertical Ell	4 5/8"	3 7/8"	2 3/4"
	LCFO122	4 1/2	45° Outside Vertical Ell	5 1/4"	4 7/8"	3 1/2"
	LT92	3 1/2	Tee	7 3/4"	5 3/4"	2 3/4"
	LT122	4 1/2	Tee	7 3/4"	6 1/2"	3 1/2"
	LATK150W	6	Tee	8"	14"	4"
	LDR12292	3 1/2 - 4 1/2	Reducer	3"	4 7/8"	3 7/8"
	LKS92	3 1/2	90° Sweep Ell	13"	13"	2 3/4"
	LKS122	4 1/2	90° Sweep Ell	14"	14"	3 1/2"
	LF92	3 1/2	Flexible Ell	40"	3 1/2"	2 1/2"
	LF122	4 1/2	Flexible Ell	40"	4 1/2"	3 1/4"
	LFJ92	3 1/2	Flexible Adaptor	3 1/8"	3 7/8"	2 3/4"
	LFJ122	4 1/2	Flexible Adaptor	3 1/8"	4 7/8"	3 1/2"
	LWF92	3 1/2	Wall Flange	5"	6"	2 1/8"
	LWF122	4 1/2	Wall Flange	6 1/2"	7 3/4"	2 5/8"
	LDC	-	Twistlock Lineset Duct Clip	-	-	-

WHITE			IVORY			BROWN			GRAY		
Order code / Ref No	Qty		Order code / Ref No	Qty		Order code / Ref No	Qty		Order code / Ref No	Qty	
84004 (LD92W)	6		84024 (LD92I)	6		84064 (LD92B)	6		84044 (LD92G)	6	
84104 (LD122W)	6		84124 (LD122I)	6		84164 (LD122B)	6		84144 (LD122G)	6	
84180 (LAD150W)	5										
84010 (LJ92W)	6		84030 (LJ92I)	6		84270 (LJ92B)	1		84250 (LJ92G)	1	
84110 (LJ122W)	6		84130 (LJ122I)	6		84370 (LJ122B)	1		84350 (LJ122G)	1	
84185 (LAJ150W)	2										
84016 (LW92W)	6		84036 (LW92I)	6		84276 (LW92B)	1		84256 (LW92G)	1	
84116 (LW122W)	6		84136 (LW122I)	6		84376 (LW122B)	1		84356 (LW122G)	1	
84189 (LAW150W)	2										
84007 (LEN92W)	6		84027 (LEN92I)	6		84267 (LEN92B)	1		84247 (LEN92G)	1	
84107 (LEN122W)	6		84127 (LEN122I)	6		84367 (LEN122B)	1		84347 (LEN122G)	1	
84184 (LAE150W)	2										
84011 (LK92W)	6		84031 (LK92I)	6		84271 (LK92B)	1		84251 (LK92G)	1	
84111 (LK122W)	6		84131 (LK122I)	6		84371 (LK122B)	1		84351 (LK122G)	1	
84186 (LAK150W)	2										
84014 (LP92W)	6		84034 (LP92I)	6		84274 (LP92B)	1		84254 (LP92G)	1	
84114 (LP122W)	6		84134 (LP122I)	6		84374 (LP122B)	1		84354 (LP122G)	1	
84187 (LHJK150W)	2										
84012 (LKF92W)	6		84032 (LKF92I)	6		84272 (LKF92B)	1		84252 (LKF92G)	1	
84112 (LKF122W)	6		84132 (LKF122I)	6		84372 (LKF122B)	1		84352 (LKF122G)	1	
84002 (LCI92W)	6		84022 (LCI92I)	6		84262 (LCI92B)	1		84242 (LCI92G)	1	
84102 (LCI122W)	6		84122 (LCI122I)	6		84362 (LCI122B)	1		84342 (LCI122G)	1	
84183 (LAC150W)	2										
84003 (LCO92W)	6		84023 (LCO92I)	6		84263 (LCO92B)	1		84243 (LCO92G)	1	
84103 (LCO122W)	6		84123 (LCO122I)	6		84363 (LCO122B)	1		84343 (LCO122G)	1	
84182 (LACM150W)	2										
84181 (LAKM150W)	2										
84000 (LCFI92W)	6		84020 (LCFI92I)	6		84260 (LCFI92B)	1		84240 (LCFI92G)	1	
84100 (LCFI122W)	6		84120 (LCFI122I)	6		84360 (LCFI122B)	1		84340 (LCFI122G)	1	
84001 (LCFO92W)	6		84021 (LCFO92I)	6		84261 (LCFO92B)	1		84241 (LCFO92G)	1	
84101 (LCFO122W)	6		84121 (LCFO122I)	6		84361 (LCFO122B)	1		84341 (LCFO122G)	1	
84015 (LT92W)	6		84035 (LT92I)	6		84275 (LT92B)	1		84255 (LT92G)	1	
84115 (LT122W)	6		84135 (LT122I)	6		84375 (LT122B)	1		84355 (LT122G)	1	
84188 (LATK150W)	2										
84106 (LDR12292W)	6		84126 (LDR12292I)	6		84366 (LDR12292B)	1		84346 (LDR12292G)	1	
84013 (LKS92W)	6		84033 (LKS92I)	6		84273 (LKS92B)	1		84253 (LKS92G)	1	
84113 (LKS122W)	6		84133 (LKS122I)	6		84373 (LKS122B)	1		84353 (LKS122G)	1	
84008 (LF92W)	6		84028 (LF92I)	6		84268 (LF92B)	1		84248 (LF92G)	1	
84108 (LF122W)	6		84128 (LF122I)	6		84368 (LF122B)	1		84348 (LF122G)	1	
84009 (LFJ92W)	6		84029 (LFJ92I)	6		84269 (LFJ92B)	1		84249 (LFJ92G)	1	
84109 (LFJ122W)	6		84129 (LFJ122I)	6		84369 (LFJ122B)	1		84349 (LFJ122G)	1	
84017 (LWF92W)	6		84037 (LWF92I)	6		84277 (LWF92B)	1		84257 (LWF92G)	1	
84117 (LWF122W)	6		84137 (LWF122I)	6		84377 (LWF122B)	1		84357 (LWF122G)	1	
84099 (LDC) (12 pk 50 bags)											



Technical Information

Weather resistant PVC,
UV stabilized & fire resistant.
Tested to over 2,000 hours.

Temperature Range
-4°F to 140°F



12' Wall Duct Kit

Kit includes 12' of duct and all essential fittings to hide and protect the lineset for a typical A/C installation. Available in white, ivory, gray and brown

LDK Kit includes:

- LD – Ducting 4' Long (3)
- LJ – Couplers (2)
- LW – Wall Inlet (1)
- LEN – End Fitting (1)
- LK – 90° Flat Ell (1)

Fortress Kits:

- 84045 LDK92G – Gray 3 1/2
- 84145 LDK122G – Gray 4 1/2
- 84065 LDK92B – Brown 3 1/2
- 84165 LDK122B – Brown 4 1/2
- 84005 LDK92W – White 3 1/2
- 84105 LDK122W – White 4 1/2
- 84025 LDK92I – Ivory 3 1/2
- 84125 LDK122I – Ivory 4 1/2



NEW!**Fortress+****6" Lineset Covers**

RS# (ref #)	QTY	Description	L	W	H
84180 (LAD150W)	5	Ducting	48"	6"	4"
84185 (LAJ150W)	2	Coupler	5"	6"	4"
84189 (LAW150W)	2	Wall Inlet	13"	9"	13"
84184 (LAE150W)	2	End Fitting	5"	6"	9"
84186 (LAK150W)	2	90° Flat Ell	9"	6"	9"
84187 (LHJK150W)	2	Soffit Inlet	7"	9"	4"
84183 (LAC150W)	2	90° Inside Vertical Ell	7"	6"	8"
84182 (LACM150W)	2	120° Adj Vertical Ell	11"	6"	9"
84181 (LAKM150W)	2	120° Adj Flat Ell	11"	11"	4"
84188 (LATAK150W)	2	Tee	8"	14"	4"

SATIN FINISH

Moderate price point. For mini-splits and ducted air conditioning & heat pump systems.

Protects lineset, wiring and drain hose from weather, vandalism, pet and pest damage.

Snap together ducting easily accessed for repairs or replacement of the lineset.

UV and weather resistant. Will remain attractive and provide protection for many years.

Stylish. Complements any residential or commercial building. Paintable. Brush, spray or roller to match or complement custom colors.

Sizes. Duct length 4'

Color. White

1 year warranty.



RectorSeal® 2601 Spenwick Drive - Houston, TX 77055 800-231-3345 rectorseal.com

A CSW Industrials Company. RectorSeal, the logos and other trademarks are property of RectorSeal, LLC, its affiliates or its licensor's and are protected by copyright, trademark and other intellectual property laws, and may not be used without permission. RectorSeal reserves the right to change specifications without prior notice. ©2020 RectorSeal. All rights reserved. R50317-0220